COVID-19 Decision Tree for People in Schools, Youth, and Child Care Programs

Follow the appropriate path if a child, student, or staff person is experiencing the following symptoms consistent with COVID-19:

- More common: fever greater than or equal to 100.4° F, new onset and/or worsening cough, difficulty breathing, new loss of taste or smell.
- Less common: sore throat, nausea, vomiting, diarrhea, chills, muscle pain, excessive fatigue, new onset of severe headache, new onset of nasal congestion or runny nose.

Return to school or Siblings and household Evaluate symptom and Well enough to attend or remain in school or For people determine if person is program. program 24 hours contacts do not need with ONE well enough to remain after symptom to stay home or "less common" in school or program. improved. quarantine. Stay home or send home and consider evaluation symptom from a health care provider and/or COVID-19 test. Siblings and household **RECEIVES:** Negative COVID-19 contacts return to Evaluation and/or COVID-19 test from a Person stays home or is sent home. For people test result school or program. health care provider. with ONE OR "more common" Alternative diagnosis symptom Siblings and household Does not seek **RECEIVES:** OR evaluation and/or • Positive COVID-19 contacts remain at home or are sent COVID-19 test from a test result at least TWO Siblings and household contacts stay home and home. health care provider. "less common" quarantine from all activities for at least 14 days. symptoms Stay at home in isolation for at least 10 days from time symptoms started until symptoms improved AND no fever for 24 hours (without fever reducing medications).

For people who are a close contact with someone who tested positive for COVID-19.

A close contact is a person who was within 6 feet for at least 15 minutes of someone who is infected. This includes anyone who lives in the same household.

Stay home from all activities for at least 14 days since the last contact with the positive case.

Even if the person receives a negative test result, they need to complete 14 days of quarantine before returning to school or program.

Get tested 5-7 days after last contact with the positive case.

If symptoms develop and/or a positive test result is received.

 Siblings and household
contacts DO NOT need to stay home or quarantine. Stay at home in isolation for at least 10 days from time symptoms started until symptoms improved AND no fever for 24 hours (without fever reducing medications).

Siblings and household contacts stay home and quarantine from all activities for at least 14 days.



